

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
002 BYRON	HOLSTEIN – FRIESIAN	17	297	3706	3.7	138	2.9	108	247	3 4
	JERSEY	10	293	3600	4.5	163	3.5	126	289	2 7
	CROSS/UNKNOWN BREED	13	297	3689	3.9	145	3.0	111	257	2 11
	SHIRE AVERAGES	40	296	3674	4.0	146	3.1	114	261	3 0
003 CASINO	AUSTRALIAN RED	1	273	4554	4.9	225	3.2	147	372	2 6
	CROSS/UNKNOWN BREED	20	292	4726	4.1	193	3.2	152	346	2 5
	SHIRE AVERAGES	21	291	4718	4.1	195	3.2	152	347	2 5
006 KYOGLE	HOLSTEIN – FRIESIAN	42	297	5055	3.9	198	3.1	156	354	2 8
	JERSEY	22	284	4153	4.4	181	3.3	139	320	2 5
	CROSS/UNKNOWN BREED	103	297	5348	4.1	221	3.2	172	393	3 1
	SHIRE AVERAGES	167	295	5117	4.1	210	3.2	164	374	2 11
007 LISMORE	HOLSTEIN – FRIESIAN	89	301	6137	3.4	211	3.0	186	398	2 10
	JERSEY	4	305	4265	5.3	228	3.7	158	387	2 11
	ILLAWARRA	29	279	4667	3.7	172	3.1	146	319	2 8
	GUERNSEY	36	302	5379	4.2	224	3.2	172	397	2 9
	AYRSHIRE	4	300	5734	3.3	190	3.1	176	367	2 11
	BROWN SWISS	3	305	5208	3.6	185	3.2	165	351	2 10
	CROSS/UNKNOWN BREED	111	291	5852	3.6	212	3.1	184	397	2 8
	SHIRE AVERAGES	276	295	5726	3.7	209	3.1	178	388	2 9
009 MULLUMBIMBY	HOLSTEIN – FRIESIAN	33	294	5182	3.9	203	3.1	163	367	3 1
	CROSS/UNKNOWN BREED	3	182	2384	3.9	92	3.0	72	164	2 5
	SHIRE AVERAGES	36	285	4948	3.9	194	3.2	156	350	3 0
010 NYMBOIDA	HOLSTEIN – FRIESIAN	1	305	5069	3.7	189	3.2	164	353	2 11
	SHIRE AVERAGES	1	305	5069	3.7	189	3.2	164	353	2 11
011 RICHMOND RIVER	HOLSTEIN – FRIESIAN	219	289	4907	3.9	193	3.1	153	346	2 5
	JERSEY	48	290	3490	4.9	170	3.6	124	295	2 0
	BROWN SWISS	38	284	5495	3.9	215	3.3	180	396	2 7
	CROSS/UNKNOWN BREED	214	290	5029	4.0	202	3.2	160	362	3 0
	SHIRE AVERAGES	519	289	4869	4.0	196	3.2	155	352	2 8

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE	
										YR	MTH
013 TWEED	HOLSTEIN – FRIESIAN	37	298	4552	3.5	159	3.1	141	301	2	6
	JERSEY	25	297	4255	5.3	224	3.8	161	385	3	0
	BROWN SWISS	1	294	3380	3.5	118	3.2	107	225	2	3
	CROSS/UNKNOWN BREED	73	301	4363	3.8	165	3.3	143	308	2	9
014 ULMARRA	SHIRE AVERAGES	136	300	4387	4.0	174	3.3	145	320	2	9
	HOLSTEIN – FRIESIAN	15	288	4046	3.7	148	3.0	122	270	2	8
	CROSS/UNKNOWN BREED	50	304	5280	3.5	183	3.1	166	349	2	10
	SHIRE AVERAGES	65	300	4995	3.5	175	3.1	156	331	2	10
023 BELLINGEN	HOLSTEIN – FRIESIAN	250	297	5894	3.6	212	3.1	181	393	2	4
	JERSEY	114	297	4387	4.9	216	3.7	162	378	2	3
	ILLAWARRA	7	285	6200	3.6	226	3.2	200	427	2	7
	GUERNSEY	3	279	4647	4.5	210	3.4	156	366	2	7
	CROSS/UNKNOWN BREED	220	287	5132	4.2	216	3.3	170	386	2	8
	SHIRE AVERAGES	594	293	5320	4.0	214	3.3	173	388	2	5
027 COFFS HARBOUR	HOLSTEIN – FRIESIAN	20	286	4769	3.9	186	3.0	144	330	2	6
	JERSEY	6	305	4054	5.1	207	3.6	147	354	2	9
	AUSTRALIAN RED	1	305	2932	4.2	122	3.4	101	223	2	5
	CROSS/UNKNOWN BREED	117	294	5059	4.3	217	3.4	171	389	2	11
	SHIRE AVERAGES	144	293	4962	4.3	212	3.3	166	378	2	10
030 GREAT LAKES	HOLSTEIN – FRIESIAN	29	302	5159	3.5	180	3.1	161	341	2	9
	JERSEY	1	305	3749	4.8	179	3.8	141	320	4	0
	ILLAWARRA	2	305	3878	3.7	142	3.2	123	266	3	11
	CROSS/UNKNOWN BREED	6	305	4330	3.5	150	3.2	139	289	3	0
	SHIRE AVERAGES	38	303	4923	3.5	173	3.1	155	328	2	10
032 HASTINGS	HOLSTEIN – FRIESIAN	517	297	6578	3.6	240	3.2	211	452	2	5
	JERSEY	27	293	5025	5.7	288	3.5	177	466	2	4
	ILLAWARRA	31	293	5153	3.9	201	3.3	168	369	2	5
	CROSS/UNKNOWN BREED	190	294	6009	3.6	219	3.2	195	414	2	9
	SHIRE AVERAGES	765	296	6324	3.7	235	3.2	204	440	2	6

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
034 KEMPSEY	HOLSTEIN – FRIESIAN	159	295	5922	3.4	202	3.0	180	382	2 8
	JERSEY	35	275	3798	4.4	169	3.5	134	304	2 6
	ILLAWARRA	4	301	5338	3.7	196	3.3	175	371	2 11
	GUERNSEY	3	261	3432	4.2	143	3.4	116	259	2 11
	AUSTRALIAN RED	19	289	4109	3.7	152	3.2	132	285	2 5
	CROSS/UNKNOWN BREED	90	292	4866	3.9	188	3.2	157	345	2 6
	SHIRE AVERAGES	310	291	5233	3.6	191	3.1	164	355	2 7
036 MANNING	HOLSTEIN – FRIESIAN	844	300	6165	3.8	234	3.2	195	430	2 8
	JERSEY	137	299	4629	4.9	226	3.6	165	391	2 4
	ILLAWARRA	65	290	5005	3.9	194	3.3	164	358	2 11
	GUERNSEY	1	229	1752	4.2	74	3.0	53	127	2 9
	BROWN SWISS	2	305	6303	5.0	314	3.3	208	522	2 8
	CROSS/UNKNOWN BREED	454	295	5908	3.8	226	3.2	190	416	2 10
	SHIRE AVERAGES	1503	298	5895	3.9	229	3.2	189	419	2 9
038 NAMBUCCA	HOLSTEIN – FRIESIAN	18	237	3715	3.5	131	3.1	114	245	2 9
	JERSEY	13	283	3970	4.3	170	3.5	137	307	2 10
	ILLAWARRA	5	273	3580	3.7	133	3.3	117	250	2 11
	CROSS/UNKNOWN BREED	92	291	4204	4.0	167	3.3	139	306	2 11
	SHIRE AVERAGES	128	282	4087	3.9	161	3.3	134	296	2 10
054 DENMAN	HOLSTEIN – FRIESIAN	413	296	6645	3.3	221	3.3	217	439	2 7
	JERSEY	5	272	3949	4.7	185	3.6	141	326	2 6
	ILLAWARRA	58	284	5850	3.7	218	3.2	187	406	2 3
	CROSS/UNKNOWN BREED	252	292	7156	3.1	222	3.3	238	461	2 8
	SHIRE AVERAGES	728	293	6740	3.3	221	3.3	221	443	2 7
055 DUNOGG	HOLSTEIN – FRIESIAN	233	300	7083	3.7	260	3.2	225	486	2 9
	JERSEY	98	297	5424	4.8	258	3.8	205	464	2 1
	ILLAWARRA	4	280	4984	3.5	172	3.4	170	343	2 7
	CROSS/UNKNOWN BREED	137	282	6244	3.6	223	3.2	201	424	3 0
	SHIRE AVERAGES	472	294	6477	3.8	248	3.3	214	462	2 8
056 GLOUCESTER	HOLSTEIN – FRIESIAN	240	299	6002	3.7	224	3.1	189	414	2 6
	JERSEY	21	300	3478	4.9	172	3.4	119	292	3 2
	GUERNSEY	1	305	3330	4.4	146	3.2	107	253	2 8
	CROSS/UNKNOWN BREED	88	297	6017	3.8	229	3.2	191	420	2 8
	SHIRE AVERAGES	350	299	5847	3.8	222	3.2	185	408	2 7

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
059 LAKE MACQUARIE	HOLSTEIN – FRIESIAN	17	297	5315	3.5	186	3.0	162	348	2 5
	JERSEY	14	292	4456	4.2	188	3.5	155	344	2 9
	CROSS/UNKNOWN BREED	2	305	4813	3.8	183	3.3	159	342	2 7
061 MAITLAND	SHIRE AVERAGES	33	296	4920	3.8	187	3.2	159	346	2 7
	HOLSTEIN – FRIESIAN	49	299	7696	3.8	294	3.2	248	542	2 7
	ILLAWARRA	1	305	7696	4.1	317	3.4	263	580	2 8
	CROSS/UNKNOWN BREED	9	297	7829	3.8	294	3.3	257	552	2 11
069 NUNDLE	SHIRE AVERAGES	59	298	7717	3.8	294	3.2	250	544	2 8
	HOLSTEIN – FRIESIAN	7	305	6143	3.9	240	3.2	199	439	2 7
	CROSS/UNKNOWN BREED	4	305	5786	3.8	219	3.6	206	425	2 8
070 PARRY	SHIRE AVERAGES	11	305	6013	3.9	232	3.3	201	434	2 7
	HOLSTEIN – FRIESIAN	63	304	7125	3.3	233	3.3	236	469	2 3
	CROSS/UNKNOWN BREED	21	290	4806	3.8	181	3.2	154	335	3 2
071 PORT STEPHENS	SHIRE AVERAGES	84	300	6545	3.4	220	3.3	215	436	2 6
	HOLSTEIN – FRIESIAN	56	295	6039	3.8	230	3.2	193	423	2 8
	CROSS/UNKNOWN BREED	5	304	4776	3.7	179	3.2	154	333	2 11
073 SCONE	SHIRE AVERAGES	61	296	5935	3.8	226	3.2	189	416	2 8
	HOLSTEIN – FRIESIAN	172	289	6343	3.6	230	3.2	203	433	2 4
	CROSS/UNKNOWN BREED	427	288	6158	3.5	218	3.1	188	406	2 11
074 SINGLETON	SHIRE AVERAGES	599	288	6211	3.6	222	3.1	192	414	2 9
	HOLSTEIN – FRIESIAN	305	298	6384	3.7	237	3.2	204	441	2 7
	JERSEY	11	296	5373	4.7	253	3.6	193	447	2 3
	ILLAWARRA	28	303	5012	4.0	202	3.3	164	366	2 6
	BROWN SWISS	43	303	5667	3.9	221	3.6	204	426	2 8
	CROSS/UNKNOWN BREED	177	286	5834	3.8	221	3.2	189	410	3 1
076 TAMWORTH	SHIRE AVERAGES	564	295	6069	3.8	229	3.2	197	427	2 9
	HOLSTEIN – FRIESIAN	114	299	6568	3.6	236	3.3	218	454	2 6
	ILLAWARRA	8	296	4674	4.0	187	3.4	157	344	2 7
	CROSS/UNKNOWN BREED	4	276	5346	4.0	213	3.5	189	402	2 5
076 TAMWORTH	SHIRE AVERAGES	126	298	6409	3.6	232	3.3	213	445	2 6

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
101 BATHURST	HOLSTEIN – FRIESIAN	1	297	4281	3.8	164	3.3	142	306	3 9
	CROSS/UNKNOWN BREED	1	218	2942	3.7	108	3.3	96	204	2 10
112 CAMDEN	SHIRE AVERAGES	2	257	3611	3.8	136	3.3	119	255	3 3
	HOLSTEIN – FRIESIAN	40	291	7590	3.7	281	3.1	234	515	2 7
	JERSEY	27	280	4404	4.6	204	3.7	164	368	2 3
	CROSS/UNKNOWN BREED	9	295	4516	3.7	167	3.2	145	313	3 7
113 CAMPBELLTOWN	SHIRE AVERAGES	76	288	6094	3.9	240	3.3	199	439	2 7
	HOLSTEIN – FRIESIAN	1	305	7415	3.6	269	3.0	223	492	2 10
	JERSEY	1	256	3224	5.5	176	3.6	116	292	3 1
	AYRSHIRE	3	257	4912	4.5	219	3.3	161	381	2 8
	SHIRE AVERAGES	5	266	5075	4.3	220	3.2	164	385	2 9
117 CONDOBOLIN	HOLSTEIN – FRIESIAN	7	305	4671	4.0	187	3.2	150	337	2 8
	AYRSHIRE	2	305	4657	4.0	187	3.2	149	336	2 9
	CROSS/UNKNOWN BREED	3	292	5071	3.8	193	3.3	166	359	2 5
	SHIRE AVERAGES	12	301	4769	3.9	188	3.2	154	342	2 7
120 DUBBO	HOLSTEIN – FRIESIAN	232	298	7314	3.5	258	3.2	233	492	2 3
	BROWN SWISS	1	305	6348	3.7	237	3.0	192	429	2 2
	CROSS/UNKNOWN BREED	90	294	6426	4.0	259	3.3	209	468	2 5
	SHIRE AVERAGES	323	297	7063	3.7	258	3.2	226	485	2 4
125 JEMALONG	HOLSTEIN – FRIESIAN	12	305	4518	3.8	171	3.1	142	313	2 8
	CROSS/UNKNOWN BREED	84	300	4952	3.8	189	3.2	159	348	3 2
	SHIRE AVERAGES	96	300	4898	3.8	186	3.2	156	343	3 1
134 PENRITH	HOLSTEIN – FRIESIAN	26	296	8137	3.2	262	3.1	256	518	2 8
	CROSS/UNKNOWN BREED	2	304	6435	3.1	198	3.3	212	410	2 4
	SHIRE AVERAGES	28	296	8015	3.2	257	3.2	253	510	2 8
137 TALBRAGAR	HOLSTEIN – FRIESIAN	121	294	6122	3.7	226	3.3	200	426	2 6
	BROWN SWISS	16	289	5914	3.7	219	3.4	201	421	2 11
	CROSS/UNKNOWN BREED	35	295	5551	4.1	229	3.4	188	418	2 6
	SHIRE AVERAGES	172	294	5986	3.8	226	3.3	198	424	2 7

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
140 WAUGOOLA	HOLSTEIN – FRIESIAN	77	300	6980	4.0	282	3.3	232	514	2 8
	ILLAWARRA	3	305	5028	4.3	218	3.4	171	390	2 3
	CROSS/UNKNOWN BREED	31	280	6274	4.2	264	3.4	212	477	2 9
141 WOLLONDILLY	SHIRE AVERAGES	111	294	6730	4.1	276	3.3	224	500	2 8
	HOLSTEIN – FRIESIAN	206	296	6464	3.7	237	3.2	207	445	2 5
	ILLAWARRA	11	292	4823	4.0	194	3.2	155	349	2 3
	AYRSHIRE	15	296	4763	4.0	190	3.4	160	350	2 10
	CROSS/UNKNOWN BREED	143	293	7241	4.0	292	3.3	237	529	3 3
157 KIAMA	SHIRE AVERAGES	375	295	6644	3.8	255	3.2	215	470	2 9
	HOLSTEIN – FRIESIAN	610	296	6888	3.4	236	3.2	219	455	2 7
	JERSEY	15	298	4480	4.8	215	3.7	166	382	2 4
	ILLAWARRA	62	295	3804	3.5	133	3.2	123	256	2 9
	AYRSHIRE	1	305	4716	4.5	210	3.4	158	368	2 5
	BROWN SWISS	1	277	3920	4.0	155	3.5	139	294	2 4
	CROSS/UNKNOWN BREED	136	291	5966	3.7	218	3.2	192	410	2 11
158 MITTAGONG	SHIRE AVERAGES	825	295	6454	3.5	225	3.2	206	431	2 7
	HOLSTEIN – FRIESIAN	160	295	7072	3.7	260	3.2	225	485	2 6
	JERSEY	1	305	7152	4.3	311	3.4	241	552	2 3
	CROSS/UNKNOWN BREED	55	290	6367	3.7	233	3.2	202	435	2 9
161 SHELLHARBOUR	SHIRE AVERAGES	216	294	6893	3.7	253	3.2	219	472	2 7
	HOLSTEIN – FRIESIAN	243	301	7487	3.4	251	3.2	240	492	2 8
	JERSEY	8	286	3513	4.8	169	3.6	127	296	2 6
	CROSS/UNKNOWN BREED	51	299	6874	3.7	251	3.2	222	473	2 10
162 SHOALHAVEN	SHIRE AVERAGES	302	300	7278	3.4	249	3.2	234	483	2 8
	HOLSTEIN – FRIESIAN	1503	296	6796	3.7	253	3.2	216	470	2 5
	JERSEY	12	302	5887	4.5	262	3.5	207	469	2 6
	ILLAWARRA	111	298	5389	3.7	201	3.3	176	377	2 7
	AYRSHIRE	1	305	5439	3.7	202	3.3	182	384	2 7
	BROWN SWISS	2	304	6370	3.5	220	3.2	201	422	2 1
	AUSTRALIAN RED	62	304	6021	3.9	236	3.3	199	436	2 5
	CROSS/UNKNOWN BREED	488	297	6673	3.7	248	3.3	217	466	2 6
SHIRE AVERAGES	2179	297	6668	3.7	248	3.2	214	463	2 6	

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
164 WINGECARRIBEE	HOLSTEIN – FRIESIAN	227	297	7003	3.7	256	3.3	229	485	2 5
	JERSEY	1	305	4050	4.8	193	3.6	146	339	3 1
	ILLAWARRA	19	303	5720	3.7	209	3.2	185	395	2 6
	GUERNSEY	1	305	4595	4.8	220	3.6	166	386	2 8
	BROWN SWISS	3	299	6343	3.4	216	3.4	214	430	3 2
	CROSS/UNKNOWN BREED	129	281	5999	3.9	234	3.3	200	434	2 11
	SHIRE AVERAGES	380	292	6579	3.7	245	3.3	216	462	2 7
165 WOLLONGONG	HOLSTEIN – FRIESIAN	147	298	6716	3.6	244	3.2	212	456	2 7
	CROSS/UNKNOWN BREED	15	301	6282	3.8	237	3.2	201	438	3 1
184 EUROBODALLA	SHIRE AVERAGES	162	298	6676	3.6	243	3.2	211	455	2 8
	HOLSTEIN – FRIESIAN	348	298	7199	3.8	271	3.3	234	506	2 4
	JERSEY	30	291	4471	4.9	221	3.8	170	391	2 7
	ILLAWARRA	13	265	4100	3.9	159	3.1	127	286	2 9
	GUERNSEY	2	271	4068	4.6	187	3.4	137	324	2 11
	BROWN SWISS	1	261	4097	3.9	158	3.5	142	300	3 5
	CROSS/UNKNOWN BREED	345	291	5648	4.0	224	3.3	186	410	3 0
	SHIRE AVERAGES	739	294	6297	3.9	245	3.3	207	452	2 8
185 IMLAY	HOLSTEIN – FRIESIAN	407	297	6153	4.0	244	3.3	203	448	2 5
	JERSEY	119	293	4850	4.8	235	3.6	174	410	2 4
	ILLAWARRA	23	300	5323	4.8	257	3.4	181	438	2 11
	BROWN SWISS	33	296	5322	4.1	218	3.4	181	399	2 0
	CROSS/UNKNOWN BREED	232	291	5842	4.1	237	3.3	193	431	2 8
	SHIRE AVERAGES	814	295	5817	4.1	240	3.4	195	435	2 6
187 NUMBULLA	HOLSTEIN – FRIESIAN	884	295	6813	3.6	248	3.3	222	471	2 8
	JERSEY	7	297	5010	4.3	217	3.7	183	400	2 3
	CROSS/UNKNOWN BREED	408	292	6000	3.8	226	3.3	201	428	3 1
	SHIRE AVERAGES	1299	294	6548	3.7	241	3.3	215	457	2 10
203 BERRIGAN	HOLSTEIN – FRIESIAN	85	294	7932	3.4	268	3.4	271	540	2 7
	JERSEY	139	295	5563	5.0	278	3.7	206	485	2 3
	BROWN SWISS	4	301	6256	4.4	274	3.8	240	514	2 0
	CROSS/UNKNOWN BREED	264	291	7319	3.5	257	3.4	250	508	3 1
	SHIRE AVERAGES	492	292	6920	3.8	265	3.5	242	507	2 9

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
207 CONARGO	HOLSTEIN – FRIESIAN	580	293	7088	3.6	252	3.4	238	490	2 4
	JERSEY	60	299	5201	5.0	261	3.7	191	452	2 2
	BROWN SWISS	7	305	6795	4.2	284	3.8	255	539	2 5
	CROSS/UNKNOWN BREED	326	286	6340	3.8	243	3.4	214	458	2 6
	SHIRE AVERAGES	973	291	6719	3.7	250	3.4	227	477	2 4
219 JERILDERIE	HOLSTEIN – FRIESIAN	54	300	6835	3.6	249	3.2	220	470	2 11
	SHIRE AVERAGES	54	300	6835	3.6	249	3.2	220	470	2 11
221 KYEAMBA	HOLSTEIN – FRIESIAN	168	301	6530	3.7	243	3.2	212	455	2 9
	CROSS/UNKNOWN BREED	13	295	5913	3.8	223	3.2	192	415	3 5
224 MITCHELL	SHIRE AVERAGES	181	301	6486	3.7	242	3.2	210	452	2 9
	HOLSTEIN – FRIESIAN	127	297	6897	3.9	267	3.3	228	495	2 4
	AYRSHIRE	9	304	3570	3.9	139	3.1	110	249	2 10
	CROSS/UNKNOWN BREED	19	260	5848	3.8	222	3.3	191	413	2 7
	SHIRE AVERAGES	155	293	6575	3.9	254	3.3	216	471	2 5
230 TUMBARUMBA	CROSS/UNKNOWN BREED	138	283	3352	4.4	149	3.8	126	276	3 4
	SHIRE AVERAGES	138	283	3352	4.4	149	3.8	126	276	3 4
231 TUMUT	HOLSTEIN – FRIESIAN	98	295	4916	4.3	211	3.2	158	369	2 7
	CROSS/UNKNOWN BREED	4	302	4736	4.4	209	3.4	161	371	2 5
	SHIRE AVERAGES	102	295	4909	4.3	211	3.2	158	369	2 7