

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
002 BYRON	HOLSTEIN – FRIESIAN	24	261	2880	3.6	105	3.4	98	204	3 1
	JERSEY	22	287	3461	4.4	154	3.6	125	279	2 0
	ILLAWARRA	4	289	3343	3.7	124	3.3	109	234	2 7
	CROSS/UNKNOWN BREED	3	240	3561	3.3	119	3.2	115	234	2 4
	SHIRE AVERAGES	53	273	3195	4.0	127	3.5	111	239	2 7
003 CASINO	AUSTRALIAN RED	37	299	5180	3.8	195	3.3	173	368	2 9
	CROSS/UNKNOWN BREED	11	299	5104	3.8	193	3.3	166	360	2 6
	SHIRE AVERAGES	48	299	5162	3.8	195	3.3	171	366	2 8
006 KYOGLE	HOLSTEIN – FRIESIAN	16	296	5031	3.7	184	3.2	160	344	2 10
	JERSEY	58	285	3928	4.7	184	3.8	148	332	3 0
	AYRSHIRE	2	305	3209	3.5	113	3.5	111	225	2 7
	BROWN SWISS	1	305	4220	3.9	164	3.9	163	327	2 3
	CROSS/UNKNOWN BREED	14	290	4489	4.1	184	3.4	154	338	2 9
	SHIRE AVERAGES	91	288	4196	4.3	182	3.6	150	333	2 11
007 LISMORE	HOLSTEIN – FRIESIAN	133	288	5341	3.6	192	3.2	171	363	2 11
	JERSEY	10	285	3965	4.5	178	3.6	141	320	2 0
	ILLAWARRA	29	292	5061	3.7	188	3.2	163	351	2 3
	GUERNSEY	33	298	5269	4.0	210	3.2	170	381	2 6
	BROWN SWISS	1	305	5169	4.2	217	3.3	170	387	3 0
	CROSS/UNKNOWN BREED	52	298	5193	3.9	205	3.3	170	375	2 4
	SHIRE AVERAGES	258	292	5217	3.8	196	3.2	169	365	2 8
010 NYMBOIDA	HOLSTEIN – FRIESIAN	1	285	5346	4.7	253	3.2	173	426	2 4
	CROSS/UNKNOWN BREED	8	298	5151	4.3	221	3.5	178	400	2 6
	SHIRE AVERAGES	9	296	5173	4.3	225	3.4	177	403	2 6
011 RICHMOND RIVER	HOLSTEIN – FRIESIAN	226	290	4788	3.8	183	3.3	157	340	2 8
	JERSEY	73	297	3756	4.6	174	3.6	135	309	2 7
	CROSS/UNKNOWN BREED	45	297	4559	4.3	198	3.4	155	353	2 5
	SHIRE AVERAGES	344	292	4539	4.0	183	3.3	152	335	2 7
013 TWEED	HOLSTEIN – FRIESIAN	35	285	3867	3.8	146	3.2	123	269	2 7
	JERSEY	28	304	4031	5.0	201	3.8	152	353	3 2
	SHIRE AVERAGES	63	293	3940	4.3	170	3.5	136	307	2 10

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
014 ULMARRA	HOLSTEIN – FRIESIAN	46	300	5753	3.7	211	3.2	182	393	2 9
	ILLAWARRA	1	305	6157	3.7	230	3.2	197	427	2 7
	CROSS/UNKNOWN BREED	2	295	5530	3.2	175	3.4	186	361	2 4
	SHIRE AVERAGES	49	300	5752	3.7	210	3.2	182	393	2 9
023 BELLINGEN	HOLSTEIN – FRIESIAN	275	291	5800	3.9	224	3.2	188	413	2 7
	JERSEY	129	295	4876	4.8	235	3.7	181	417	2 3
	ILLAWARRA	4	286	5900	3.8	226	3.4	201	427	2 6
	GUERNSEY	11	297	6350	4.6	290	3.5	225	515	2 11
	CROSS/UNKNOWN BREED	56	292	5640	4.3	240	3.4	194	434	2 3
SHIRE AVERAGES	475	292	5544	4.1	230	3.4	188	419	2 5	
027 COFFS HARBOUR	HOLSTEIN – FRIESIAN	35	278	5174	4.1	213	3.3	169	382	2 10
	JERSEY	70	280	4640	5.0	231	3.6	168	400	2 2
	AYRSHIRE	1	305	3140	4.4	139	2.9	91	230	2 11
	CROSS/UNKNOWN BREED	52	289	4906	4.5	220	3.5	171	392	2 2
SHIRE AVERAGES	158	283	4836	4.6	223	3.5	169	392	2 4	
030 GREAT LAKES	HOLSTEIN – FRIESIAN	88	296	5566	3.5	197	3.2	177	375	3 0
	CROSS/UNKNOWN BREED	2	305	5239	3.7	192	3.1	163	355	3 5
	SHIRE AVERAGES	90	296	5559	3.5	197	3.2	177	375	3 0
032 HASTINGS	HOLSTEIN – FRIESIAN	481	295	6598	3.7	241	3.3	217	458	2 8
	JERSEY	22	300	4459	4.6	207	3.5	157	364	2 5
	ILLAWARRA	5	277	5125	3.9	201	3.2	166	368	2 6
	GUERNSEY	3	305	5585	4.0	222	3.2	176	399	2 3
	CROSS/UNKNOWN BREED	30	286	5479	3.9	212	3.3	180	392	2 6
SHIRE AVERAGES	541	294	6430	3.7	237	3.3	211	449	2 7	
034 KEMPSEY	HOLSTEIN – FRIESIAN	171	290	6493	3.6	236	3.3	212	448	2 9
	JERSEY	6	288	4606	4.9	225	3.8	173	398	2 7
	ILLAWARRA	2	305	6529	3.8	250	3.4	221	472	2 7
	GUERNSEY	3	305	4141	4.3	180	3.5	143	324	3 4
	AUSTRALIAN RED	11	290	4515	3.9	175	3.5	157	332	2 9
	CROSS/UNKNOWN BREED	25	285	4725	3.9	186	3.4	159	346	2 7
SHIRE AVERAGES	218	290	6107	3.7	226	3.3	201	427	2 9	

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE	
										YR	MTH
036 MANNING	HOLSTEIN – FRIESIAN	1053	291	5414	3.8	205	3.2	173	379	3	0
	JERSEY	185	294	4378	4.7	207	3.5	154	362	2	7
	ILLAWARRA	24	301	6253	3.8	238	3.3	204	443	2	8
	GUERNSEY	2	298	2699	5.2	140	3.6	97	238	2	8
	AYRSHIRE	2	305	3447	3.9	134	3.4	116	251	3	8
	AUSTRALIAN RED	2	305	6649	3.4	227	3.3	219	447	3	6
	CROSS/UNKNOWN BREED	97	295	5676	3.9	224	3.3	187	412	2	9
	SHIRE AVERAGES	1365	292	5302	3.9	207	3.2	172	380	2	11
038 NAMBUCCA	HOLSTEIN – FRIESIAN	9	292	4696	3.9	184	3.2	150	335	3	3
	JERSEY	34	269	3951	4.3	170	3.5	138	308	3	3
	ILLAWARRA	10	294	4100	3.9	161	3.3	135	296	2	11
	AUSTRALIAN RED	1	305	4187	3.8	161	3.2	136	297	3	5
	CROSS/UNKNOWN BREED	32	299	4201	4.1	173	3.4	141	314	2	11
	SHIRE AVERAGES	86	286	4142	4.2	172	3.4	140	312	3	1
054 DENMAN	HOLSTEIN – FRIESIAN	466	295	7220	3.6	258	3.2	229	488	2	8
	JERSEY	1	193	1753	4.7	82	4.0	70	152	2	7
	ILLAWARRA	52	302	6869	3.9	270	3.3	230	501	2	5
	CROSS/UNKNOWN BREED	11	300	6593	3.7	246	3.2	210	457	2	9
	SHIRE AVERAGES	530	296	7162	3.6	258	3.2	229	488	2	8
055 DUNOG	HOLSTEIN – FRIESIAN	450	296	6783	3.5	239	3.2	215	454	2	9
	JERSEY	120	298	4883	4.9	239	3.7	183	422	2	4
	ILLAWARRA	1	305	5625	3.9	219	3.3	183	402	2	7
	CROSS/UNKNOWN BREED	13	287	6008	3.8	228	3.3	196	425	2	9
	SHIRE AVERAGES	584	296	6373	3.8	239	3.3	208	447	2	8
056 GLOUCESTER	HOLSTEIN – FRIESIAN	270	282	6587	3.6	237	3.2	210	448	2	9
	JERSEY	14	285	3261	4.1	135	3.4	112	247	2	11
	CROSS/UNKNOWN BREED	9	267	3895	4.3	167	3.4	132	300	3	0
	SHIRE AVERAGES	293	282	6346	3.6	230	3.2	203	433	2	9
059 LAKE MACQUARIE	HOLSTEIN – FRIESIAN	7	259	4349	3.6	157	3.2	138	296	2	4
	JERSEY	4	294	4131	4.7	193	3.3	137	330	2	6
	SHIRE AVERAGES	11	271	4269	4.0	170	3.2	138	309	2	4
061 MAITLAND	HOLSTEIN – FRIESIAN	34	298	7262	3.2	232	3.4	245	477	2	5
	CROSS/UNKNOWN BREED	1	305	6960	3.8	264	3.4	236	500	2	5
	SHIRE AVERAGES	35	298	7254	3.2	233	3.4	244	478	2	5

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE	
										YR	MTH
062 MANILLA	HOLSTEIN – FRIESIAN	165	302	7997	3.7	292	3.1	251	543	2	6
	SHIRE AVERAGES	165	302	7997	3.7	292	3.1	251	543	2	6
069 NUNDLE	HOLSTEIN – FRIESIAN	10	296	5220	3.9	201	3.4	175	377	3	6
	ILLAWARRA	4	297	4857	3.6	177	3.3	159	336	2	6
	CROSS/UNKNOWN BREED	2	301	5359	3.3	179	3.2	172	351	2	6
	SHIRE AVERAGES	16	297	5146	3.7	192	3.3	171	364	3	1
070 PARRY	HOLSTEIN – FRIESIAN	145	298	6018	3.7	221	3.2	193	414	2	7
	JERSEY	1	305	5139	4.2	215	3.5	179	394	3	5
	AYRSHIRE	6	302	5158	3.9	201	3.3	169	370	3	0
	CROSS/UNKNOWN BREED	4	303	5917	3.9	233	3.3	196	429	3	0
	SHIRE AVERAGES	156	298	5977	3.7	220	3.2	192	412	2	7
071 PORT STEPHENS	HOLSTEIN – FRIESIAN	185	300	8304	3.8	315	3.2	269	585	2	6
	GUERNSEY	10	297	7160	4.2	298	3.1	223	521	2	2
	CROSS/UNKNOWN BREED	4	301	6962	4.3	296	3.2	221	517	2	5
	SHIRE AVERAGES	199	300	8220	3.8	313	3.2	266	580	2	6
073 SCONE	HOLSTEIN – FRIESIAN	429	291	7763	3.5	274	3.3	254	528	2	4
	CROSS/UNKNOWN BREED	2	203	5027	3.8	189	3.1	156	346	2	0
	SHIRE AVERAGES	431	291	7750	3.5	273	3.3	253	527	2	3
074 SINGLETON	HOLSTEIN – FRIESIAN	340	297	7327	3.7	274	3.2	236	510	2	9
	JERSEY	32	291	5338	4.5	242	3.6	191	433	2	10
	BROWN SWISS	46	294	6185	3.6	224	3.5	215	439	2	3
	CROSS/UNKNOWN BREED	4	305	7031	4.5	314	3.4	240	555	2	8
	SHIRE AVERAGES	422	296	7049	3.8	266	3.3	230	497	2	9
076 TAMWORTH	HOLSTEIN – FRIESIAN	56	301	7487	3.8	283	3.4	252	535	2	7
	JERSEY	29	304	4908	4.7	229	3.7	181	410	2	2
	ILLAWARRA	3	305	5976	4.0	242	3.2	194	436	2	4
	CROSS/UNKNOWN BREED	4	269	5011	4.1	207	3.5	174	381	2	4
	SHIRE AVERAGES	92	301	6517	4.0	261	3.4	224	486	2	5
101 BATHURST	HOLSTEIN – FRIESIAN	24	300	4741	3.5	165	3.5	166	332	3	6
	CROSS/UNKNOWN BREED	5	300	4276	3.7	159	3.5	151	310	3	3
	SHIRE AVERAGES	29	300	4661	3.5	164	3.5	163	328	3	5

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR	AGE MTH
111 CABONNE	HOLSTEIN – FRIESIAN	92	294	8701	3.8	329	3.3	286	616	2	2
	SHIRE AVERAGES	92	294	8701	3.8	329	3.3	286	616	2	2
112 CAMDEN	JERSEY	8	305	5065	4.6	232	3.6	181	414	2	1
	SHIRE AVERAGES	8	305	5065	4.6	232	3.6	181	414	2	1
113 CAMPBELLTOWN	JERSEY	3	226	3445	4.6	157	3.5	121	278	2	2
	AYRSHIRE	11	273	4918	4.0	195	3.2	159	354	2	2
	CROSS/UNKNOWN BREED	2	281	4574	4.2	191	3.4	157	349	1	11
	SHIRE AVERAGES	16	265	4599	4.1	187	3.3	151	339	2	1
117 CONDOBOLIN	HOLSTEIN – FRIESIAN	26	303	7806	3.9	303	3.4	264	567	2	6
	AYRSHIRE	3	303	6206	4.6	283	3.6	221	504	2	9
	CROSS/UNKNOWN BREED	1	305	8231	4.3	350	3.5	285	635	3	0
	SHIRE AVERAGES	30	303	7660	3.9	302	3.4	260	563	2	7
120 DUBBO	HOLSTEIN – FRIESIAN	339	303	8568	3.4	292	3.1	265	557	2	2
	BROWN SWISS	1	305	7009	4.7	330	3.4	240	570	2	2
	CROSS/UNKNOWN BREED	3	305	7204	3.9	282	3.3	237	520	2	6
	SHIRE AVERAGES	343	303	8552	3.4	292	3.1	265	557	2	2
124 GOOBANG	HOLSTEIN – FRIESIAN	35	294	6613	3.8	253	3.2	212	466	3	3
	SHIRE AVERAGES	35	294	6613	3.8	253	3.2	212	466	3	3
125 JEMALONG	HOLSTEIN – FRIESIAN	147	301	6324	4.1	260	3.4	214	475	3	1
	CROSS/UNKNOWN BREED	1	305	8604	3.4	292	2.6	221	513	3	0
	SHIRE AVERAGES	148	301	6340	4.1	260	3.4	214	475	3	1
134 PENRITH	HOLSTEIN – FRIESIAN	44	292	7130	3.6	257	3.4	241	499	2	10
	JERSEY	1	305	5074	4.7	236	3.7	190	426	2	4
	BROWN SWISS	1	305	5451	3.7	201	3.4	187	388	2	8
	CROSS/UNKNOWN BREED	1	305	7560	3.7	279	3.2	244	523	2	9
	SHIRE AVERAGES	47	293	7060	3.6	256	3.4	239	495	2	10
137 TALBRAGAR	HOLSTEIN – FRIESIAN	133	290	4673	3.8	176	3.2	151	327	2	4
	BROWN SWISS	23	300	5673	3.8	214	3.6	203	417	2	5
	CROSS/UNKNOWN BREED	18	284	4405	4.1	180	3.2	142	323	2	3
	SHIRE AVERAGES	174	290	4778	3.8	181	3.3	157	339	2	4

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
140 WAUGOOLA	HOLSTEIN – FRIESIAN	164	297	7904	3.9	309	3.3	257	566	2 2
	CROSS/UNKNOWN BREED	7	300	7832	4.2	328	3.3	261	590	2 1
	SHIRE AVERAGES	171	297	7901	3.9	310	3.3	257	567	2 2
141 WOLLONDILLY	HOLSTEIN – FRIESIAN	284	294	6583	3.6	240	3.2	208	448	2 6
	ILLAWARRA	3	297	5441	4.4	237	3.2	176	414	2 3
	AYRSHIRE	21	300	5951	3.8	224	3.4	203	428	2 4
	CROSS/UNKNOWN BREED	32	292	5526	4.1	228	3.2	177	406	2 3
SHIRE AVERAGES	340	294	6435	3.7	237	3.2	205	443	2 5	
157 KIAMA	HOLSTEIN – FRIESIAN	525	295	7281	3.4	247	3.1	227	474	2 6
	JERSEY	29	287	4877	4.6	224	3.5	173	398	2 5
	ILLAWARRA	22	298	4418	3.4	150	3.3	146	296	2 9
	AYRSHIRE	3	304	4813	4.3	205	3.3	161	367	2 10
	BROWN SWISS	12	255	4332	3.9	168	3.3	143	312	2 9
	CROSS/UNKNOWN BREED	10	302	6050	3.5	211	3.3	197	408	2 10
SHIRE AVERAGES	601	294	6968	3.4	240	3.1	219	459	2 7	
158 MITTAGONG	HOLSTEIN – FRIESIAN	224	294	7100	3.8	273	3.1	223	497	2 6
	BROWN SWISS	1	305	5792	4.4	252	3.3	194	446	2 0
	CROSS/UNKNOWN BREED	2	305	6811	4.0	270	3.2	215	485	2 4
SHIRE AVERAGES	227	295	7092	3.8	273	3.1	223	496	2 6	
161 SHELLHARBOUR	HOLSTEIN – FRIESIAN	166	301	8032	3.4	277	3.2	255	533	2 7
	JERSEY	3	301	5027	4.3	214	3.7	185	399	2 2
	CROSS/UNKNOWN BREED	9	299	6179	3.5	218	3.3	206	424	2 2
	SHIRE AVERAGES	178	300	7888	3.5	273	3.2	252	525	2 7
162 SHOALHAVEN	HOLSTEIN – FRIESIAN	1505	297	7446	3.6	269	3.2	236	505	2 6
	JERSEY	27	285	5787	4.5	261	3.5	202	464	2 7
	ILLAWARRA	176	285	5673	3.9	222	3.3	186	409	2 5
	AYRSHIRE	12	282	5329	3.9	206	3.3	176	382	2 9
	BROWN SWISS	1	305	5619	4.3	243	3.3	184	427	3 0
	AUSTRALIAN RED	98	300	6855	4.1	282	3.4	232	514	2 3
	OTHER STRAIGHT BREED	2	305	6101	3.2	194	3.3	203	398	2 5
	CROSS/UNKNOWN BREED	284	297	6959	3.9	269	3.3	229	499	2 4
SHIRE AVERAGES	2105	296	7169	3.7	265	3.2	230	495	2 6	
164 WINGECARRIBEE	HOLSTEIN – FRIESIAN	278	298	7177	3.8	273	3.2	233	507	2 6
	GUERNSEY	1	305	6114	5.1	310	3.5	212	522	2 5
	CROSS/UNKNOWN BREED	2	265	6399	4.7	301	3.3	211	512	2 6
SHIRE AVERAGES	281	298	7167	3.8	274	3.2	233	507	2 6	

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE	
										YR	MTH
165 WOLLONGONG	HOLSTEIN – FRIESIAN	24	299	7730	3.3	255	3.2	247	502	2	7
	SHIRE AVERAGES	24	299	7730	3.3	255	3.2	247	502	2	7
184 EUROBODALLA	HOLSTEIN – FRIESIAN	380	292	7203	3.7	268	3.3	237	506	2	6
	JERSEY	131	298	5717	4.0	231	3.4	197	428	2	10
	ILLAWARRA	7	250	4291	4.0	171	3.3	141	312	3	0
	AUSTRALIAN RED	2	305	7048	4.0	280	3.2	223	503	2	8
	CROSS/UNKNOWN BREED	121	294	6252	4.0	252	3.4	210	463	2	3
SHIRE AVERAGES	641	293	6687	3.8	257	3.3	223	480	2	6	
185 IMLAY	HOLSTEIN – FRIESIAN	720	292	6717	3.7	247	3.2	218	466	2	7
	JERSEY	105	288	4984	4.7	236	3.6	179	416	2	2
	ILLAWARRA	38	295	4664	4.3	200	3.4	159	359	3	3
	BROWN SWISS	45	295	6377	3.6	232	3.4	216	448	2	2
	CROSS/UNKNOWN BREED	83	286	5624	4.0	226	3.4	192	419	2	6
SHIRE AVERAGES	991	291	6347	3.8	242	3.3	209	452	2	6	
187 NUMBULLA	HOLSTEIN – FRIESIAN	672	296	6940	3.5	244	3.2	225	470	2	7
	JERSEY	39	300	4969	4.8	238	3.7	186	425	3	3
	CROSS/UNKNOWN BREED	35	299	6472	4.1	267	3.3	216	484	2	2
SHIRE AVERAGES	746	296	6815	3.6	245	3.3	222	468	2	7	
203 BERRIGAN	HOLSTEIN – FRIESIAN	170	296	8300	3.7	308	3.4	281	589	2	5
	JERSEY	63	296	5853	5.0	292	3.9	230	522	2	0
	BROWN SWISS	8	285	5962	4.2	251	3.7	223	475	2	2
	CROSS/UNKNOWN BREED	6	300	7342	4.1	299	3.5	255	554	1	11
SHIRE AVERAGES	247	295	7577	4.0	302	3.5	265	567	2	4	
207 CONARGO	HOLSTEIN – FRIESIAN	506	290	6733	4.0	267	3.4	226	494	2	5
	JERSEY	173	298	5100	5.1	262	3.7	189	451	2	5
	CROSS/UNKNOWN BREED	59	285	5076	4.4	224	3.6	182	406	1	11
SHIRE AVERAGES	738	291	6218	4.2	262	3.4	214	477	2	5	
219 JERILDERIE	HOLSTEIN – FRIESIAN	52	299	8026	3.8	303	3.3	265	568	2	5
	JERSEY	1	197	3579	4.9	174	4.0	142	316	2	8
SHIRE AVERAGES	53	297	7942	3.8	300	3.3	263	563	2	5	
221 KYEAMBA	HOLSTEIN – FRIESIAN	112	292	6884	3.9	266	3.3	227	494	2	8
	CROSS/UNKNOWN BREED	1	305	9182	3.7	342	3.1	281	623	3	4
SHIRE AVERAGES	113	293	6905	3.9	267	3.3	227	495	2	8	

TABLE 7

PRODUCTION AVERAGES BY SHIRE FOR ANIMALS ON FIRST LACTATION

SHIRE	BREED	NO COWS	DAYS LACTN	MILK (L.)	FAT %	FAT KG	PROT %	PROT KG	FAT+ PROT	AGE YR MTH
224 MITCHELL	HOLSTEIN – FRIESIAN	109	286	6902	3.8	263	3.2	224	488	3 1
	CROSS/UNKNOWN BREED	1	250	5007	4.0	202	3.1	154	356	3 6
	SHIRE AVERAGES	110	286	6885	3.8	263	3.3	224	487	3 1
231 TUMUT	HOLSTEIN – FRIESIAN	94	294	6338	4.1	260	3.3	210	471	2 7
	CROSS/UNKNOWN BREED	1	305	5177	4.7	241	3.5	183	424	2 7
	SHIRE AVERAGES	95	294	6326	4.1	260	3.3	210	471	2 7